

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/895,869	06/28/2001	Matthijs A. Gates	MS1-906US	5370	
22801	7590 08/11/2005		EXAMINER		
LEE & HAYES PLLC			VENT, JAMIE J		
421 W RIVERSIDE AVENUE SUITE 500 SPOKANE, WA 99201		E 500	ART UNIT	PAPER NUMBER	
,			2616		
			DATE MAILED: 08/11/2009	DATE MAILED: 08/11/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/895,869	GATES ET AL.				
Office Action Summary	Examiner	Art Unit				
	Jamie Vent	2616				
The MAILING DATE of this communication app		correspondence address				
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	of (a). In no event, however, may a reply be to within the statutory minimum of thirty (30) da ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONI	mely filed ys will be considered timely. n the mailing date of this communication. ED (35 U.S.C. § 133).				
Status	,	•				
1)⊠ Responsive to communication(s) filed on <u>13 July 2005</u> .						
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims		1				
4) Claim(s) 1-23,25-44,46-47 is/are pending in the 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1-23,25-44,46-47 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	vn from consideration.					
Application Papers						
9) The specification is objected to by the Examine	r.					
10)⊠ The drawing(s) filed on <u>28 June 2001</u> is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the	- · · ·					
Replacement drawing sheet(s) including the correcting 11) The oath or declaration is objected to by the Ex						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list of the certified copies of the attached detailed Office action for a list of the certified copies 	s have been received. s have been received in Applica ity documents have been receiv (PCT Rule 17.2(a)).	tion No ved in this National Stage				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview.Summar Paper No(s)/Mail I 5) Notice of Informal 6) Other:					

Art Unit: 2616

DETAILED ACTION

Response to Arguments

Applicant's arguments filed August 26, 2004 have been fully considered but they are not persuasive.

On pages 13-15 applicant argues that Vallone et al fails to teach, suggest, or disclose the limitation of "receiving a second broadcast data stream encoded using a second encoding format" as disclosed in Claims 1 and 43. Vallone et al discloses a system with "input streams in a multitude of forms" that is encoded using various encoding formats as described in Column 5 Lines 20-25 and Column 8 Lines 10-18. Additionally, it is disclosed in Column 5 Lines 5-55 that the following signals are inputted into the system: analog broadcast streams such as NTSC and PAL that are encoded using QUAM standards; and digital streams such as ATSC, DBS, and DSS that are encoded based on Moving Pictures Experts Group 2 (MPEG2) and MPEG2 Transport standards. Thereby the various inputted streams meets the limitations of a first and second broadcast data stream that are encoded in a first and second encoding formats. Furthermore, on pages 14-16 applicant argues that Vallone et al fails to teach, suggest, or disclose the limitation of "receiving a digital second broadcast data stream encoded using a second digital encoding format" as disclosed in Claims 12. It is noted that Vallone et al shows two digital formats of MPEG2 and MPEG transport stream; however, if applicant does not agree that the MPEG standards are two different digital encoding formats it is further shown in Inuoe et al wherein two digital formats are

Art Unit: 2616

inputted into the system with two digital encoding formats as further described in Column 1 Lines 18-44 and thereby meets the limitation.

On page 16 applicant argues that Vallone fails to disclose "storing the components of the first digital data stream on a storage device, wherein the components of the first digital data stream on a storage device, wherein components are stored in the first encoding format" as disclosed in Claim 12. Vallone discloses in Column 6 Lines 30+ through Column 7 Lines 1-20 the part of the system wherein the received broadcast streams are placed into buffers to specify events/components occurring with the broadcast stream and thereby storing components of the digital data stream before the decoding the data stream for recording or playback that may occur in the system.

On pages 17 applicant argues that Vallone fails to disclose, teach, or suggest "rendering the components of the broadcast data stream; and receiving a request to pause rendering of the broadcast data stream, in response to the pause request: halting rendering of broadcast data stream; continuing to store the components of the broadcast stream on the storage device" as recited in Claim 32. It is noted that Vallone continuously stores the broadcast data while the program is stopped/bookmarked so that the user once playback is resumed can watch from the place he/she left the broadcast stream as disclosed in Column 16 Lines 33+ and thereby meeting the limitation. On Pages 19-20 applicant further argues that Vallone fails to disclose, teach or suggest multiple encoding formats which is discussed above in Claims 1 and 12.

Art Unit: 2616

Although, applicant's points are understood the examiner cannot agree and the rejection with respect to independent Claims 1, 32, 34, and 43 are maintained.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-11 and 37-44 and 46-47 are rejected under 35 U.S.C. 102(e) as being unpatentable by Vallone et al (US 6,642,939).

[claim 1]

In regard to Claim 1, Vallone et al discloses a method comprising:

- Receiving a first broadcast data stream encoded using a first encoding format (Figure 1 shows receiving a broadcast data stream that is encoded using various formats as stated in Column 5 Lines 20-25 and Column 8 Lines 10-18);
- Receiving a second broadcast data stream encoded using a second encoding format (Column 5 Lines 5+ describes the various encoding formats such as analog broadcast streams such as NTSC and PAL that are encoded using QUAM standards; and digital streams such as ATSC,

Art Unit: 2616

DBS, and DSS that are encoded based on Moving Pictures Experts Group 2 (MPEG2) and MPEG2 Transport standards);

- Demultiplexing the first broadcast data stream while maintaining the encoding format of the broadcast data stream (Column 8 Lines 3-8 describe the demultiplexing of the broadcast data streams that are encoded in MPEG2 and MPEG2 Transport standards);
- Demultiplexing the second broadcast data stream while maintaining the second encoding format of the second broadcast data stream (Column 8 Lines 3-8 describe the demultiplexing of the broadcast data streams with the use of the MPEG2 and MPEG2 Transport standards);
- Storing the first and second broadcast data stream on a storage device in the encoded format (Figure 1 storage device/hard disk drive 105 wherein the broadcast data streams is stored in an MPEG format); and
- Time shifting the broadcast data stream (Column 10 Lines 62+ describes a function of pausing thereby time shifting the broadcast data stream).

[claims 2 & 3]

In regard to Claims 2 and 3, Vallone et al discloses the first broadcast data stream is a digital data stream and may utilize any data format (Column 5 Lines 6-11 states that television (TV) input streams are inputted in multiple forms).

[claim 4]

In regard to claim 4, Vallone et al discloses the storing the first broadcast data stream on a storage device includes writing the broadcast data stream to an application

programming interface (Figure 13 shows the queue up of programs from the hard disk for writing data to an application program interface).

[claims 5, 6, & 7]

In regard to Claims 5, 6, and 7 Vallone et al discloses the method of further comprising retrieving:

- the first broadcast data stream from the storage device (Figure 1 shows the data stream from the storage device);
- the first broadcast data stream simultaneously (Figure 2 shows the data stream being retrieved simultaneously from the media switch); and
- Different portions of the first broadcast data stream simultaneously (Figure 6 shows different portions of the broadcast data stream simultaneously retrieved).

[claims 8, 9, & 10]

In regard to Claims 8, 9, and 10 Vallone et al discloses the method wherein the received first broadcast stream is stored on the storage device using:

- Plurality of single temporary files (Figure 9 cache file 918 has group of single temporary files); and
- At least one permanent file (Column 17 Lines 5-8 default preference files that are permanent in the system).

[claim 11]

In regard to Claim 11, Vallone et al discloses that one or more computer-readable memories containing a computer program is executable by a processor to perform the

method as recited in Claims 1, (Figure 8 and 9 shows the program logic of the computer program that performs the methods as stated in methods 1, 12, and 32).

[claim 37]

In regard to Claim 37, Vallone et al discloses one or more computer-readable media having stored thereon a computer program (Figures 8 and 9 show the program logic that resides in the CPU seen in Figure 7 element 713) that, when executed by one or more processors, causes the one or more processors to:

- Separate the components of the broadcast data stream encoded using a first encoding format (Column 8 Lines 3-8 describe the demultiplexing of the digital data stream);
- Separate the components of a second broadcast data stream encoded using a second encoding format
- Store the components of the first and second broadcast data stream on a hard disk drive (Figure 1 storage device/hard disk drive 105);
- Receive a request to play back the stored components of the first broadcast data stream (Figure 7 command can be given to media switch regarding playback);;
- Retrieve the stored components of the first broadcast data stream from the hard disk drive (Column 8 Lines 31-35 states the retrieving of the stored components of the digital data stream);
- Decode the components of the first broadcast stream (Figure 8 shows a decoder for decoding the components of the broadcast stream); and

Rendering the components of the first broadcast stream (Figure 7 parse)

705 and event queue 708 renders the streams for playback control.

[claims 38 & 39]

In regard to Claims 38 and 39, Vallone et al discloses one or more computer-readable

media wherein one or more processors render the following:

• Components of the broadcast stream includes rendering the components

of the broadcast stream in a manner that corresponds to the received play

back request (Figure 8); and

Components of the broadcast stream include rendering multiple copies of

the broadcast stream simultaneously (Figure 9).

[claims 40, 41, & 42]

In regard to Claims 40, 41, and 42, Vallone et al discloses one ore more computer-

readable media wherein:

• First Broadcast data stream is a television broadcast (Figure 7 input signal

is determined television broadcast through MPEG decoder)

Separate components of a broadcast data stream include audio data,

video data, and Internet Protocol data (Column 8 Lines 6-8 states the

demultiplexing of audio, video and "private data channel streams" which

would encompasses internet protocol data)...

[claim 43]

In regard to Claim 43, Vallone et al discloses an apparatus comprising:

Application/Control Number: 09/895,869 Page 9

Art Unit: 2616

A capture module configured to capture a first data stream, wherein the
first data stream may be represented by a first data format and the
second data stream is represented by a second data format, and wherein
the data stream is encoded using an encoding format the second data
stream is encoded using a second encoding format (Figure 8 element 801
captures different data formats);

- Data storage module configured to store the captured data stream in the encoded formats (Figure 8 element 804); and
- Rendering module configured to decode the data stream and to render the data streams from the data stored on the data storage module (Figure 8 double arrow between elements 802 and 804).

[claim 44]

In regard to Claim 44, Vallone et al discloses the data stream is encoding using any encoding format (Column 5 Lines 20-25 and Column 8 Lines 10-18 describes the encoding format);

[claim 46]

In regard to Claim 46, Vallone et al discloses the capture module is further configured to separate the components of the data stream and the data storage module is further configured to store each of the separate components of the data stream (Column 9 Lines 20+ describes the storage of the data stream into the hard disk).

[claim 47]

In regard to Claim 47, Vallone et al discloses the data storage module includes at least one hard disk drive (Figure 1).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 12-23 and 25-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Vallone et al (US 6,642,939) in view of Inuoe et al (5,832,085).

[claim 12]

In regard to Claim 12, Vallone et al discloses the method comprising:

- Receiving a first digital data stream encoded using a first encoding format
 (Figure 1 shows receiving a digital data stream that is encoded using
 various formats as stated in Column 5 Lines 20-25 and Column 8 Lines
 10-18);
- Separating components of the first digital data stream (Column 8 Lines 3-8 describe the demultiplexing of the digital data stream);
- Storing the components of the first digital data stream on a storage device wherein the components are stored in the first encoded format (Figure 1 storage device/hard disk);

Art Unit: 2616

- Receiving a command to play back the first digital data stream (Figure 7 command can be given to media switch regarding playback);
- Retrieving at least one of the stored components of the first digital data stream from the storage device (Column 8 Lines 31-35 states the retrieving of the stored components of the digital data stream);
- Decoding the retrieved component (Figure 9 shows a decoder for the retrieve component needed for output of the data stream) and
- Rendering the components of the digital data stream in a manner that
 corresponds to the received play back command (Figure 7 parse 705 and
 event queue 708 renders the streams for playback control); however, fails
 to clearly discloses a receiving a second digital stream encoded using a
 second encoding format.

Vallone et al states that the receiving a second digital stream encoded using two encoding formats of MPEG2 and MPEG transport encoding standards which are two different digital standards. However, if the applicant feels that MPEG standards are not from different digital encoding formats it is clearly stated in Inuoe et al discloses the input of two data streams with two different encoding formats as disclosed in Column 1 Lines 15-44 and Column 3 Lines 10-40 and seen in Figure 1. Thereby allowing the system to process multiple digital encoding formats that allows the system to process various inputs and thereby becoming more versatile for recording. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use

the recording system as disclosed by Vallone et al, and further incorporate a system wherein the system receives two digital encoding streams, as disclosed by Inuoe et al.

[claim 13]

In regard to Claim 13, Vallone et al discloses a method comprising:

 Receiving a command to pause play back of the digital data stream and halting rendering of the components of the digital data stream in response to the pause command (Column 9 Lines 60-68 describe the pause method and the systems response to the command).

[claims 14, 15, 16, 17, 18, 19, & 20]

In regard to Claims 14, 15, 16, 17, 18, 19, and 20, Vallone et al discloses the play back command is: playback command, rewind command, fast forward command, seek command, slow motion play command, skip forward command, and skip backward command (Column 8 Lines 16-17).

[claim 21]

In regard to claim 21, Vallone et al discloses the storing the first broadcast data stream on a storage device includes writing the broadcast data stream to an application programming interface (Figure 13 shows the queue up of programs from the hard disk for writing data to an application program interface).

[claims 22 & 23]

In regard to Claims 22 and 23 Vallone et al discloses the method wherein the received first broadcast stream is stored on the storage device using:

 Plurality of single temporary files (Figure 9 cache file 918 has group of single temporary files); and

 At least one permanent file (Column 17 Lines 5-8 default preference files that are permanent in the system).

[claim 25]

In regard to Claim 25, Vallone et al discloses the digital data stream can be encoded using any encoding format and can utilize any data format (Column 5 Lines 20-25 and Column 8 Lines 10-18 describe encoding methods of the system).

[claim 26]

In regard to Claim 26 Vallone et al discloses the method of further comprising retrieving:

- the first broadcast data stream from the storage device (Figure 1 shows the data stream from the storage device);
- the first broadcast data stream simultaneously (Figure 2 shows the data stream being retrieved simultaneously from the media switch); and
- Different portions of the first broadcast data stream simultaneously (Figure 6 shows different portions of the broadcast data stream simultaneously retrieved).

[claims 27 & 28]

In regard to Claims 27 and 28, Vallone et al discloses a method wherein the retrieving the stored components of the digital data stream includes a first device retrieving data associated with a first data stream stored on the storage device and a second device simultaneously retrieving data associated with a second data stream stored on the

storage device (Column 8 Lines 44-50 describe the method and devices used for retrieving data).

[claims 29 & 30]

In regard to Claims 29 and 30, Vallone et al discloses a method wherein separating components of the digital data stream includes demultiplexing video data and audio data and internet protocol data from the digital data stream (Column 8 Lines 6-8 states the demultiplexing of audio, video and "private data channel streams" which would encompasses internet protocol data).

[claim 32]

In regard to Claim 32, Vallone et al discloses the method of data streams as stated in claims 12 with the additional limitations of receiving a request to pause rendering of the broadcast data stream in response to the pause request to halt rendering of the broadcast data stream and continuing to store the components of the broadcast data stream on the storage device (Column 9 Lines 60-68 and Column 10 Lines 1-10 states the events that occur when a pause request is received and the storage of the broadcast data stream onto the hard disk drive).

[claims 33 & 34]

In regard to Claims 33 and 34, Vallone et al discloses the broadcast data stream is a television broadcast and is digital data stream (Column 5 Lines 6-11 states that television (TV) input streams are inputted in multiple forms).

[claim 35]

In regard to Claim 35, Vallone et al discloses a method comprising of receiving a request to resume rendering of the broadcast data stream and rendering the broadcast data stream based on the request to resume rendering of the broadcast data stream (Figure 27 and element 2707 to resume rendering of the broadcast data stream).

[claims 33 & 34]

In regard to Claims 33 and 34, Vallone et al discloses the broadcast data stream is a television broadcast and is digital data stream (Column 5 Lines 6-11 states that television (TV) input streams are inputted in multiple forms).

[claim 35]

In regard to Claim 35, Vallone et al discloses a method comprising of receiving a request to resume rendering of the broadcast data stream and rendering the broadcast data stream based on the request to resume rendering of the broadcast data stream (Figure 27 and element 2707 to resume rendering of the broadcast data stream).

[claim 36]

In regard to Claim 36, Vallone et al discloses one or more computer-readable memories containing a computer program that is executable by a processor to perform the method (Figure 7 shows the computer-readable memory for executing the processing to be performed).

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Art Unit: 2616

Barton (US 6327418);

Wood (US 6360053).

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jamie Vent whose telephone number is 571-272-7384. The examiner can normally be reached on 7:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Groody can be reached on 571-272-7950. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jamie Vent 08/05/05

James J. Groody Supervisory Patent Examiner Art Unit 262 26(6

Art Unit: 2616

Page 17